

E6: Specifications

Coffee specialities

Preparation at the touch of a button	1 cappuccino 2 coffees 1 coffee 2 espressi 1 espresso Milk foam
Hot water function	3
No. of individually programmable specialities	7
Technologies	
Pulse Extraction Process (P.E.P. [©])	Yes
Variable brewing chamber	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S. [©])	Yes
I.W.S® with CLARIS Smart filter cartridge	Yes
Grinder type	Aroma ^{G3} grinder
Grinder type	Aroma ^{G3} grinder
Grinder type Number of grinders	Aroma ^{G3} grinder 1
Grinder type Number of grinders Thermoblock heating system	Aroma ^{G3} grinder 1 1
Grinder type Number of grinders Thermoblock heating system Intelligent preheating	Aroma ^{G3} grinder 1 1 Yes
Grinder type Number of grinders Thermoblock heating system Intelligent preheating High-performance pump, 15 bar	Aroma ^{G3} grinder 1 1 Yes 15 bar

Settings and programming options	
Programmable amount of water	Yes
Amount of water can be adjusted for each preparation	Yes
Programmable coffee strength in levels	8
Coffee strength can be adjusted for each preparation	Yes
Hot water temperature can be programmed in levels	3 levels
Brewing temperature can be programmed in levels	2
Operations	
Operations	
Display	TFT color display
Sustainability	
Energy Save Mode (E.S.M. [©])	Yes
Programmable switch-off time	Yes
Power switch	Zero-Energy Switch
Perfect maintenance at the touch of a button	
Filter cartridge	CLARIS Smart
Integrated rinsing, cleaning and descaling programme	Yes
Integrated milk system cleaning programme	Yes
Automatic milk rinse	Yes
Maintenance status display	Yes

Adjustable water hardness	Yes
JURA hygiene: TÜV-certified	Yes
Spouts	
Height-adjustable coffee spout	65 - 111 mm
Height-adjustable cappuccino spout	65 - 111 mm
Hot water spout	Yes
Height-adjustable hot water spout	67 - 113 mm
Cappuccino frother	Fine foam frother
In figures	
Water tank capacity	1.9 L
Numbers of bean containers	1
Bean container with aroma preservation cover	Yes
Capacity per bean container	280 g
Coffee grounds container (max. servings)	16
Cable length	1.1 m
Voltage	230 alternating current
Voltage Ampacity	
	current
Ampacity	current 10 amp

Energy consumption with E.S.M. [©]	6 watt-hour
Weight	9.8 kg
Width	28 cm
Heigth	35.1 cm
Depth	43.9 cm
Energy efficiency CH	43 kw per h.
Conformity mark	
Article Number	15058