

Product Comparison

X line
NEW
NEW

WE line
NEW

Areas of use and recommended maximum daily output

Recommended maximum daily output	80	30
Areas of use	CateringLarge offices	StudiosOffices
	Canteens	Business premises
	 Self-service areas 	• Stores
	 Service provider 	 Factories and workshops
	 Reseller 	

x Ristretto spresso x Espresso offee x Coffee appuccino x Cappuccino affè latte x Caffè latte atte macchiato	Ristretto 2 x Ristretto Espresso 2 x Espresso Coffee 2 x Coffee Cappuccino Espresso doppio Macchiato Latte macchiato Flat white Portion of milk
	Hot water for groon too
7.1.16.6.11.11.65	Hot water for green teaGround coffee
	x Ristretto spresso x Espresso offee x Coffee appuccino x Cappuccino affè latte x Caffè latte atte macchiato x Latte macchiato at white x Flat white

	2 x Portion	of milk
--	-------------	---------

- Pot of coffee
- Hot water
- Hot water for green tea
- Special coffee
- 2 x Special coffee

• Special coffee

Pot of espresso-quality coffee	Yes	-
Hot water function	Yes	3 levels
Pot of coffee (360 ml / 12 oz.)	2 min. 20 sec.	-
1 latte macchiato	-	1 min. 26 sec.
2 latte macchiati	1 min. 50 sec.	-
1 cappuccino	-	56 sec.
2 cappuccini	1 min. 18 sec.	-
2 Flat Whites	1 min. 35 sec.	-
2 caffè latte (cafés au lait)	1 min. 34 sec.	-
2 coffees	1 min. 3 sec.	1 min.
2 espressi	48 sec.	45 sec.
2 ristretti	33 sec.	30 sec.
Hot water (200 ml / 7 oz.)	50 sec.	45 sec.
Specific advantages		
One-Touch Lungo function	-	Yes
One-Touch function	Yes	-
Intelligent Water System (I.W.S.®)	Yes	Yes
Automatic switchover from milk to milk foam	Yes	-
Compatible with J.O.E®	Yes	Yes

Wireless ready	Yes	Yes
Smart Connect supplied as standard	Yes	-
Powder recognition for additional ground coffee variety	-	Yes
Aroma preservation cover	Yes	Yes
JURA standards		
Variable VC brewing unit	5 - 16 g	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S. [©])	Yes	Yes
High-performance pump, 15 bar	1	1
Thermoblock heating system	2	1
Maintenance status display	Yes	Yes
Integrated rinsing, cleaning and descaling program	Yes	Yes
Integrated milk system rinsing and cleaning programme	Yes	Yes
JURA hygiene: TÜV-certified	Yes	Yes
Filter cartridge	CLARIS Pro Smart & CLARIS Pro Smart maxi	CLARIS Pro Smart / CLARIS Smart
Energy Save Mode (E.S.M.®)	Yes	Yes
Zero-Energy Switch or power switch	Yes	Yes
Settings and programming opt	ions	
Programmable brewing temperature	2	2
Programmable amount of milk / milk foam	Yes	Yes

Hot water temperature can be programmed in levels	3	3
Resettable day counter	Yes	Yes
Programmable switch-off time	Yes	Yes
Shows the number of preparations for each individual product	Yes	Yes
Design and materials		
Display	TFT color display	TFT color display
Cup illumination	White and amber	Amber
Powder chute for ground coffee	-	Yes
Sound design	Yes	-
In figures		
Water tank capacity	5 L	3 L
Bean container holding capacity	500 g	500 g
Bean container can be optionally extended to	1000 g	-
Coffee grounds container (servings)	40	25
Cable length	1.2 m	1.1 m
Current	10 amp	10 amp
Stand-by power	< 0.5 Watt	0 Watt
Weight	14 kg	10 kg
Width	37.3 cm	29.5 cm
Height	47 cm	41.9 cm

Depth	46.1 cm	44.4 cm
Article Number	15191	15317