

Z6: Specifications

Coffee specialities				
Types of preparation	1 latte macchiato 1 Flat White 1 cappuccino 1 espresso macchiato 2 coffees 1 coffee 2 espressi 1 espresso 2 ristretti 1 ristretto Milk, milk foam Milk foam			
Hot water function	3 levels			
Additional preground coffee powder	Yes			
No. of individually programmable specialities	12			
Awards				
Swiss made	Yes			
Technologies				
Pulse Extraction Process (P.E.P. [©])	Yes			
Variable brewing chamber	5 - 16 g			
Intelligent Pre-Brew Aroma System (I.P.B.A.S. [©])	Yes			
I.W.S.® with filter cartridge	CLARIS Smart			
Grinder type	Aroma ^{G3} grinder			
Number of grinders	1			
Active bean monitoring	Yes			

Powder recognition for additional ground coffee variety	Yes		
Thermoblock heating system 1			
Intelligent preheating	Yes		
High-performance pump, 15 bar	15 bar		
Wireless ready	Yes		
JURA fine foam technology	Yes		
Milk or milk foam preparation	Yes		
Monitored drip tray	Yes		
Cottings and presume to a soft and			
Settings and programming options			
Programmable amount of water	Yes		
Amount of water can be adjusted for each preparation	Yes		
Programmable coffee strength in levels	10		
Coffee strength can be adjusted for each preparation	Yes		
Milk temperature can be programmed in levels	10		
Milk foam temperature can be programmed in levels 10			
Hot water temperature can be programmed in levels	3 levels		
Brewing temperature can be programmed in levels	3		
Save, copy and personalise products	Yes		
Operations			
Display	TFT color display		
Rotary Switch	Yes		
Sustainability			

^

Energy Save Mode (E.S.M. [©])	Yes			
Programmable switch-off time	Yes			
Power switch	Zero-Energy Switch			
Perfect maintenance at the touch of a button				
Filter cartridge	CLARIS Smart			
Integrated rinsing, cleaning and descaling programme	Yes			
Integrated milk system cleaning programme	Yes			
Automatic milk rinse	Yes			
Maintenance status display	Yes			
Adjustable water hardness	Yes			
JURA hygiene: TÜV-certified	Yes			
Spouts				
Height-adjustable coffee spout	80 - 153 mm			
Width-adjustable coffee spout	21 - 50 mm			
Width-adjustable coffee spout Height-adjustable cappuccino spout	21 - 50 mm 80 - 153 mm			
Height-adjustable cappuccino spout	80 - 153 mm			
Height-adjustable cappuccino spout Height-adjustable dual spout	80 - 153 mm 80 - 153 mm			
Height-adjustable cappuccino spout Height-adjustable dual spout Hot water spout	80 - 153 mm 80 - 153 mm Yes			
Height-adjustable cappuccino spout Height-adjustable dual spout Hot water spout Height-adjustable hot water spout	80 - 153 mm 80 - 153 mm Yes			
Height-adjustable cappuccino spout Height-adjustable dual spout Hot water spout Height-adjustable hot water spout Design and materials	80 - 153 mm 80 - 153 mm Yes 80 - 153 mm			

Sound design	Yes		
Powder chute for ground coffee	Yes		
In figures			
Water tank capacity	2.4 L		
Numbers of bean containers	1		
Bean container with aroma preservation cover	Yes		
Capacity per bean container	280 g		
Coffee grounds container (max. servings)	20		
Cable length	1.1 m		
Voltage	230 alternating current		
Ampacity	10 amp		
Frequency	50 hz		
Power	1450 Watt		
Stand-by power	0 Watt		
Energy consumption	16 watt-hour		
Energy consumption with E.S.M. [©]	6 watt-hour		
Weight	11.5 kg		
Width	32 cm		
Heigth	37.5 cm		
Depth	45 cm		
Energy efficiency CH	47 kw per h.		
Conformity mark			
Article Number	15011		