

## Product Comparison

### A line



A1



### ENA Micro line



ENA Micro 90



### Specialities

Products	<ul style="list-style-type: none"> <li>• 1 ristretto</li> <li>• 1 espresso</li> <li>• 1 coffee</li> </ul>	<ul style="list-style-type: none"> <li>• 1 espresso</li> <li>• 1 coffee</li> <li>• 1 cappuccino</li> <li>• 1 latte macchiato</li> <li>• 1 portion of milk foam</li> <li>• Hot water</li> </ul>
Hot water function	-	Yes
Additional preground coffee powder	Yes	Yes
Number of products	3	6

### Technologies

Pulse Extraction Process (P.E.P. <sup>®</sup> )	Yes	Yes
Variable brewing chamber	6 - 10 g	6 - 10 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S. <sup>®</sup> )	Yes	Yes
Grinder type	Aroma <sup>G3</sup> grinder	Aroma <sup>G3</sup> grinder

Number of grinders	1	1
Monitored aroma preservation cover	Yes	Yes
Powder recognition for additional ground coffee variety	Yes	Yes
Thermoblock heating system	1	1
Intelligent preheating	Yes	Yes
High-performance pump, 15 bar	15 bar	15 bar
JURA fine foam technology	-	Yes
Monitored drip tray	Yes	Yes

### **Settings and programming options**

Programmable amount of water	Yes	Yes
Amount of water can be adjusted for each preparation	-	Yes
Programmable coffee strength in levels	2	10
Coffee strength can be adjusted for each preparation	Yes	Yes
Brewing temperature can be programmed in levels	-	2

### **Operations**

Display	Symbol display	Plain text display
Rotary Switch	-	Yes

### **Sustainability**

Energy Save Mode (E.S.M.®)	Yes	Yes
Programmable switch-off time	Yes	Yes
Power switch	Zero-Energy Switch	Zero-Energy Switch

### Perfect maintenance at the touch of a button

Filter cartridge	CLARIS Blue	CLARIS Blue
Integrated rinsing, cleaning and descaling programme	Yes	Yes
Integrated milk system cleaning programme	-	Yes
Automatic milk rinse	-	Yes
Adjustable water hardness	Yes	Yes
JURA hygiene: TÜV-certified	Yes	Yes

### Spouts

Height-adjustable coffee spout	58 - 141 mm	-
Height-adjustable dual spout	-	55 - 138 mm
Hot water spout	-	Yes
Height-adjustable hot water spout	-	55 - 138 mm
Cappuccino frother	-	Fine foam frother

### Design and materials

Powder chute for ground coffee	Yes	Yes
--------------------------------	-----	-----

### In figures

Water tank capacity	1.1 L	1.1 L
---------------------	-------	-------

Numbers of bean containers	1	1
Bean container with aroma preservation cover	-	Yes
Capacity per bean container	125 g	125 g
Coffee grounds container (max. servings)	9	10
Cable length	1.1 m	1.1 m
Voltage	230 V ~	230 V ~
Ampacity	10 amp	10 amp
Frequency	50 hz	50 hz
Power	1450 Watt	1450 Watt
Stand-by power	-	0 Watt
Energy consumption	-	4.7 watt-hour
Energy consumption with E.S.M.®	4 watt-hour	-
Weight	9.2 kg	9.4 kg
Width	23.9 cm	23 cm
Height	32.3 cm	32.3 cm
Depth	44.5 cm	44.5 cm
Energy efficiency CH	40 kw per h.	42 kw per h.
Conformity mark	-	
Article Number	15133	15061